



Presenting Mahindra Maha Bolero pick-up. Not just an ordinary pick-up, but its robust chassis, super strong axle, and sturdy suspension make it a Maha pick-up. Most certainly, there is no road tough enough to hold it down. So, go ahead, be the driving force you wish to be, with Maha Bolero pick-up.

- Maha power of 56 kW
- Maha payload of 1.7 tonne/1.25 tonne
- Maha cargo box of 2765 mm

- LSPV braking system
- Great mileage of 14.3 km/l#
- Comfortable broad seats

BOLERO PIKUP FB

INDIA'S NO.1 PICK-UP



- Powerful 48.5 kW engine
- Great torque of 195 Nm
- Best in class mileage of 17.2 km/l*
- Payload of 1.2 tonne
- City friendliness with TCR of 5.5 m
- Power steering for easy city driving


BOLERO MAXITRUCK PLUS



- Premium leather seats
- Central locking
- 4x4 option available
- Power windows
- AC option for higher comfort
- Cash van option available * *

BOLERO CAMPER GOLD ZX

* *As per RBI specifications



- Great power of 56 kW
- High torque of 200 Nm
- Payload of 1010 kg
- 4X4 mode
- Power steering option available for ease of driving
- Higher ground clearance

BOLERO

PIKUP FB

INDIA'S NO.1 PICK-UP



Presenting CNG range of pick-up. Its extra strong suspension enables you to carry heavy loads even on the toughest of roads. With excellent power and torque, it can deliver your goods anywhere on time. Go on, bring home the perfect pick-up for your business today.

- 4-stroke spark ignition engine with 50 kW power
- International standard CNG kit

- Power steering for easy manoeuvring in cities
- Range of 350 km##



BMT Plus CBC



Bolero Pik-up CBC



Dumper Tipper



Poultry Van



Water Tanker



Cash Van



TECHNICAL SPECIFICATION

Parameters		Bolero Pik-up ExtraLong	Bolero Pik-up ExtraStrong	Bolero Pik-up 4x4	Bolero City Pik-up	Bolero Maxitruck Plus	Bolero Camper	Bolero Maxitruck CNG	Bolero Pik-up CNG	
Engine	Engine	m2DiCR 4 cyl 2.5L TB MSI 4 cyl 2500 CNG							2500 CNG	
	Capacity	2523 cm ³								
	Max output	56 kW @ 3200 r/min			48.5 kW @ 3200 r/min		56 kW @ 3200 r/min	50 kW @ 3200 r/min		
	Max torque	200 Nm @ 1400 - 2200 r/min			195 Nm @ 1400 - 2200 r/min		200 Nm @ 1400 - 2200 r/min	178 Nm @ 1400 - 2000 r/min		
Transmission & driveline	Clutch	Single Plate Dry Clutch								
	Gearbox	5 Speed, All Synchromeshed 5 Forward, 1 Reverse								
Steering	Туре	Power steering Power steering (manual optional)			Power steering	Power steering (manual optional)	Power:	Power steering		
Suspension	Front	Rigid leaf spring suspension					Coil Springs in Gold Leaf spring in 2WD/4WD	Rigid leaf spring suspension		
	Rear	Rigid leaf spring suspension					Rigid axle with leaf spring Rigid leaf spring suspens		spring suspension	
Brakes	Front	Disc brakes								
	Rear	Drum brakes								
Wheels & Tyres	Rim	5.5 J x 15 (38.1 cm)			6.0 J x 15 (38.1 cm)			5.5 J x 15 (38.1 cm)		
	Tyre	7.00 R15			215/75 R15 LT	195/80 R15 LT	235/75 R15	195/80 R15 LT	7.00 R15	
Fuel Tank Capacity		60 L	57 L		45 L		57 L	150 L (Water capacity)	140 L (Water capacity)	
Dimensions (mm)	Wheelbase	3264 3014		3264	3150	3014	3150	3264		
	Overall length	5215	5219	4859	4990	4925	4859	4925	5219	
	Overall width	1700								
	Overall height	1865			1858	1825	1855	1825	1865	
	Load body - Outer (I x b x h)	2765x1700x650	2540x1700x650	2281x1532x750	2640x1700x398	2500x1620x458	1481x1532x750	2500x1620x458	2540x1700x650	
Weight (kg)	Payload	1700/1245	1280/1500	1015	1400	1200	1000 (Gold ZX)	1150	1190	
	Max GVW	3490/2995	2995/3245	2735	2990	2700	2735	2750	2990	
	Kerb weight	1790/1750	1715/1745	1720	1590	1500	1735	1600	1800	
Seating capacity		D+1 (wider seat for Power steering only)			D+1		D+4	D+1		



Uday Benefits: • Student Scholarship Benefits • Accidental death insurance

*3 Years or 1 Lakh km whichever is earlier. #As per VRDe certification on standard driving conditions. Applicable for BMT. T & C Apply.

For more details, call Toll Free No. 1800-532-3366

Dealer Stamp





Mahindra & Mahindra Ltd., Automotive Sector, Mahindra Towers, 3rd Floor, Akurli Road, Kandivali (E), Mumbai 400 101.

All features and colors mentioned are not available on all models. Accessories shown are not part of the standard equipment. Performance figure may differ in conditions other than test conditions. Vehicle body color may differ from the printed photographs. In view of our policy of continuously improving our products, we reserve the rights to alter specifications or designs without prior notice and without liability. Please check model details with your nearest dealer.