





INDIA'S SUPER 5 SEATER

BADI SAWARI BADI KAMAI





Powerful Engine



5+1
Gear Box
Smooth Driving
Experience



5+1 Seater



Long Life
Aluminium Clutch
30,000 kms



Higher Power & Gradeability







COMFORT +
Increased Hood height to suit
rear seat passengers



SEATING CAPACITY +
for accommodating 2 extra passengers



SAFETY +
Grab handles for easy access



POWER +
599CC Engine



TORQUE +
Increased Torque



Ground Clearance +
Suitable for all roads

Apé Auto+ DSL BS VI: Technical Specifications

Engine	Diesel
Туре	Water Cooled Engine
Displacement	599 cc
Max Power	7 kW (9.39 hp) @ 3600 rpm
Max Torque	23.5 Nm @ 2200 rpm
Transmission	
Clutch Type	Multi Disc Wet Type
Gear Box	Constant Mesh
Gears	5 Forward, 1 Reverse
Suspension	
Front	Hydraulic Telescopic Shock Absorber With Helical Compression Spring with Damper
Rear	Hydraulic Telescopic Shock Absorber With Rubber Compression Spring with Damper
Steering	
Steering	Handle Bar Type
Brake & Tyre	
Brake	Drum Brake Hydraulicaly Actuated Internal Expanding Shoe Type
Tyre	4.50 - 10, 8 PR
Electrical System	
System Voltage	12V DC
Battery Rating	50 Ah
Dimensions	
Wheelbase	2100 mm
Overall Width	1465 mm
Overall Length	3140 mm
Overall Height	1950 mm
Minimum Ground Clearance	240 mm
Weight	
GVW	974 kg
Kerb Weight	524 kg
Seating Capacity	Driver + 5
Performance	
Maximum Gradeability	23.80%
Fuel Tank Capacity	10 Ltrs
Max Speed	60 km/h



Strong Body + Robust Performance + Profitable Partner



with Water Cooled technology



Comfortable Driver Cabin



Stylish Dashboard



Rear footstep entry



Extra Strong Steering Column & Chassis

Auto





PIAGGIO VEHICLES PRIVATE LIMITED

8th Floor, Sky One, Kalyani Nagar, Pune – 411 006 Tel.: 020 - 6749 2800 | www.piaggio.co.in

Please note that the images and technical specifications shown in the chart may showcase accessories and equipment which are not part of the standard fitment. Piaggio reserves the rights to alter the technical specifications and features without prior notice.

Specifications are subject to improvements / changes.

